

## ELECTRICAL HEATING & AIR CONDITIONING SYSTEMS

### HIGH-VOLTAGE COOLANT HEATER - TITRONIC



<b>Version</b>		CHHV 50 G3
<b>Heating performance</b>	kW	5.0*
<b>Main dimension</b>	mm	160 x 159 x 105
<b>Weight</b>	kg	2.0
<b>Operating voltage range (HV)</b>	V	250 - 450 / 12
<b>Interfaces</b>		LIN 2.1

\* Un = 350 V, Tco = 60°C, Qco = 10 l/min, Coolant = 50:50

### ELECTRICAL WATER HEATER - PLUGTRONIC



<b>Version</b>		800	1850
<b>Heating performance</b>	kW	0.8	1.85
<b>Main dimension</b>	mm	151 x 131 x 81	
<b>Weight</b>	kg	0.8	
<b>Operating voltage range (HV)</b>	V AC	230	
<b>Interfaces</b>	V DC	12 / 24	

### ELECTRICAL BLOWER HEATER



<b>Version</b>		ALIZE 2 ELEC	KELEC EV01	KELEC EV02
<b>Heating performance</b>	kW*	1.6 - 2.2	0.85 - 1.7	
<b>Airflow</b>	m <sup>3</sup> /h*	210	230	350
<b>Ventilation speed</b>		3		
<b>Operating voltage range</b>	V DC*	PTC from 24 to 800		
<b>Ventilation voltage</b>	V*	12 / 24		
<b>Main dimension</b>	mm	189 x 175 x 132	235 x 255 x 114	344 x 273 x 114

\*Depending on model

## ELECTRICAL HEATING & AIR CONDITIONING SYSTEMS

### ELECTRICAL HVAC HORIZONTAL UNITS



Version		Super K EHVAC	Kool 2 EHVAC	Falkon EHVAC
Heating performance	kW	up to 4		up to 5
Cooling performance	kW	3.5	4.5	7.7
Airflow	m <sup>3</sup> /h	440	520	660
Electrical consumption	W	100	180	360
Operating voltage range	V DC	24 - 800		
Main dimension	mm	216 x 368 x 137	261 x 384 x 158	297 x 432 x 167

### ELECTRICAL HVAC VERTICAL UNITS



Version		MK0 EHVAC	VK9 EHVAC
Heating performance	kW	2.2	3
Cooling performance	kW	4.3	6.5
Airflow	m <sup>3</sup> /h	390	670
Electrical consumption	W	220	300
Operating voltage range	V DC	12 - 800	
Main dimension	mm	160 x 324 x 378	174 x 414 x 335

### ROOFTOP EHVAC UNIT – RK9



Version		RK9 EHVAC
Heating performance	kW	6
Cooling performance	kW	7
Airflow	m <sup>3</sup> /h	530
Weight	kg	35
Main dimension	mm	1.101 x 580 x 250